


Sec 20 Town 5. Range 6 East



A South west corner of the section

B an old corner on the West line and north west corner of the south west quarter

C Center corner Walnut Beech 14 inches diameter S 59° E 8 1/2 links Hickory 18 in. D. N 76° W. 28 links

D S. E. corner S. W. q. Sugar 8 inches diameter N 3° W. 6 links Hickory 15 inches D. S 76 1/2 W. 29 links

E Beech 13 inches Diameter N 9° E 29 links beech 16 inches D. N. 36° W. 21 links


F an old corner G N. E. corner of said section

H Sugar 14 inches Diameter N 41° W. 35 links Sugar 18 inches 13 inches D. S 67 1/2 W. 29 links

I Red Elm 18 inches Diameter N 60 1/2 W. 22 links Iron wood 8 inches N 22° E 25 links

Part of Fract. Sec 23 Township No. 4 of Range No. 6 East

M. North



Beginning at A being at the South west corner thence

N. 5° 30' W. 18 Ch 75. W. a Spruce 6 ch. S. N. 37° E 39 Lks Snow wood 8 ch. S. N 67° E 15 Ch

Thence N 84° 30' E 53. 34. " Elm 24 ch S. S 71° E 31 Lks Burr oak 15 ch S. S 25° E 41

" S 5° 30' E 18. 75 " Blue ash 16 ch S. N. 8° E 31 Lks Burr oak 30 ch S. S 37° W. 32 Lks

Thence to the place of beginning containing 100 acres

John Newcomb Chauncy


Jacob Keever Lewis

Sold to John Young by the Auction of Orleans County the 11th day of January 1824
purvised the 10th of May 1824 by

Robt. Young C. S.

Orleans County

Part of section 9
 Township 2
 Range 10 MB



Beginning at the center of said section at a post for a corner witness a white oak 20 inches Diameter N 56° W 18 links back 8 inches diameter S 25° W 11 chains S 15° E 31 chains 62 1/2 links to a post witness back 14 inches Diameter N 61° E 12 links back 18 inches Diameter S 80° W 23 links thence N 89° 45' E. 31. 62 1/2 links to a post witness an Elm 18 inches Diameter N 88° E 8 links white oak 12 inches Diameter S 88° W 12 links thence N 15° W 31 chains 62 1/2 links to a post in the north line of said S. E. q. witness back 14 inches S 35° E 14 links back 14 inches diameter N 86° W 30 links thence S 89° 45' W. 31. chains 62 1/2 links to the place of beginning containing 100 Acres


Sold to John Young by the auction of Miami County January 4. 1823
 John Newcomb Chain carriers
 Jacob Stearns 3 Sworn

Surveyed May 11. to 12. 1824 by me

Robt Young C.S.

Miami County

West half of Sec 2 Township 1 Range 11 MRS




Beginning at A being the north west corner of said section thence N 89° 45' E 40
 Chains 13 links to the N. E. corner of said half section thence S 20' E. 62 chains
 70 links to a post witness a beech 10 inches diameter S 87° W. 12 1/2 links beech 14
 inches diameter S 23 1/2° E 6 links thence S 89° 45' W. 39 Chains 64 links to the
 west line of said section witness a beech 18 inches Diameter N 63° W. 17 links
 beech 12 inches Diameter N 70° E 20 links thence N 50' W. 62 chains
 70 links to the place of beginning

John Newcomb } Chain Carriers
 Jacob Keen } Sworn


Surveyed May 12th to 13th 1824 by me

Robt Young C.S.

Deane County



North half of Section 3 Township 2 Range 10 Miami River




Beginning for the 48 acre Tract at the North west corner of the section thence
 N 89° 45' E 21 Ch 91 Links to a post W. a Beech 18 In Diameter N 10° W 31 L
 Beech 10 In D N 45° E 39 L
 S 30' W 21. 91 to come in the creek W. Beech 20 In D. S 58½ W 37
 Sugar 18 In D N 58½ W 38
 S 89. 45 W 21. 91 to a post on west line W. Beech 6 In D. N 73. E 12
 Beech 6 In D. S 66 E 17
 Sold by the auditor and surveyed pursuant to his certificate June 12th 1824

Beginning for the seventy acre Tract at the N. W. corner of the S E quarter
 S 89° 55' E 26. 46 to a post on the line W. Beech 6 In. Diameter N 85° W 13 L
 Ditto 22' " " N 3° W 26 L
 S. 28' E 26. 46 to a Post with a Ditto 18 " " N 39 W 9
 Sugar 6 " " S 23 W 10
 N 89° 55 W 26. 46 to the west line of said q^r of the Dogwood 4 " " S 53° E 19
 Ditto 4 " " N 43½ W 12

N. 28' W 26. 46 to place of beginning
 Sold to Barber and Beeds by the auditor of Miami County and surveyed pursuant
 his certificate June 12th 1824
 Chain carriers William Kennedy John Kennedy }
 Martin Lewis Hullselle }
 Sworn }
 Robt. Young County Sur.
 Miami County


Part of the South East quarter of Sec 4 Town 2 Range 10 M.B.




Beginning at the N.W. corner of said quarter section Thence
 East 11.62 1/2 to a post with a Beech 12 Inches D. S 57 1/2 E 1.35
 B N 30' W 34.40 1/2 to a post a Beech 12 Inches D. N 30 1/2 E 13
 West 11.62 1/2 to a post a Beech 11 Inches D S 60 1/2 W 16
 West 11.62 1/2 to a post Sugar 10 Inches D. S 65 W 6 1/2
 S 30' E 34 1/2 to place of Beginning containing Forty acres
 Buck Eye 10 Inches D S 58 1/2 E 14

Chain Carriers Abraham Hancy William Heckman Sworn
 Surveyed July 28th 1824

Robt Young County Surveyor
 Meane County



Part of the N.E. quarter of section 12 Town 2 Range 9 M.D.



Beginning at the N.E. corner of said quarter section Thence

S 45' E 34.40 1/2 to a post witness a white oak 18 inches D. S 29' E 35

Dog wood 8 inches Diameter N 67 1/2 W 13

West 11.6 2 1/2 to a post witness

Sugar 14 inches D. S 16 1/2 W 12

Dog wood 5 inches D. N 65 1/2 W 15

N 45' W 34.40 1/2 to a post witness

Black walnut 5 inches D. S 22 1/2 E 6

Hickory 11 inches D. S 73 1/4 E 19


East 11.6 2 1/2 to place of beginning containing Forty acres

Surveyed July 29th 1824 Chas Carver Abm Nancy McLean Dickman Surveyors

Robt Young County Clerk

Meam County

Plat of 50 Acres of the South half of Sec 2 Town 2 Range 10. Mts




Beginning at A being the N.W. corner of said half section then
 East 25.50 to a post witness a Beech 30 Inches D. N 44 1/2 E. 17
 Beech 4 Inches D. S 14 E 28
 South 19.68 to a post witness Walnut 10 Inches D. S 76 1/2 E 14
 Beech Stump 12 D. S 86 1/2 W 12
 S 89 1/2 W. 25.45 to a post witness 4 Elm 18 Inches D. S 29 1/2 W 28
 Buck Eye 15 Inches D. N 35 1/2 E 22
 North 19.56 to place of beginning Containing Fifty acres

Chain Carriers William Hickman William Sherrin Aaron


Surveyed by Mathew Geary July 26. 1824

Robt Young County Sur
Meane County

Supra 17



Part of Tract Sec 5. Town 5. Range 6 East 1st Sp. W.



Beginning at ~~the~~ on the River witness a Buck Eye 15. In D. N 30 $\frac{1}{2}$ W. 20
ditto 8 In D. S 14 $\frac{1}{2}$ E 24

S 83 $^{\circ}$ 45' W. 26. 60 to Stephen Tullis corner.

S 85 15 W 20. 40 to a post a Buck 10. In D. S 70 $\frac{1}{2}$ E 19

Anthony 20. In D. N 65 $\frac{1}{2}$ E 25

North 27. 54 to a post a Buck 10 In D. N 31 $\frac{1}{2}$ E 11

N 85 45 E 4 33. to a post ditto 10 In D. S 26 $\frac{1}{2}$ W 24

ditto 20 In D. N 84 E. 29

North 11. 60 to a post. Elm oak 10 In D. S 52 E 16

Buck 16 In D. S 82 W 27

N 85 E 38. 18 to River. Buck Eye 10. In D. S 40 W 25


Elm 16 In D. N 75 E 38

Thence down the River to the place of beginning Contg 166 $\frac{44}{100}$

Surveyed by J. S. Dep 1824 by me

Robt Young Esq
Mason County

N E Quarter of Sec 12 Town 2 Range 10 Meand Rivers




- A Dogwood 6 inches D. South 8 L. Dogwood 5. Suckal D. N 18 W 10 L
- B White oak 18 in D. S 48 W 10
- C White oak 24 in D. S 50 W 4
- D Elm stump 10 in D. S 5 1/2 W 36
- E S E corner of said 2y Section

Surveyed August 4th 1829

Robt. Young C.S.
Meand County

Should be ~~to~~ N or

part of ~~to~~ Quarter Sec 7 Town 2 Range 10 NMS
S.W.




- A S E Corner of 20 sections
- B Dogwoods 5 In Q. N 37 E 4 S. Dogwoods 6 In Q. S 60 E 17
- C Maple 20 In Q. S 35. W 9 1/2 Gum 8 In Q. S 79 E 15
- D Sugar 5 In Q. S 58 E 10 S. Oaks 24 In Q. N 31 1/2 W 32

Surveyed Aug. 4 - 1899

Robt. Young County Surveyor
Meams County


Part of Fractional Section No. 18 Township 18. 6 Range 18. 6 East



Beginning at the North East corner of said Fractional Section on the bank of the River




Part of Fractional Section No. 18 Township No. 6 Range No. 6 East



Beginning at the street from which the south west corner of
 Col. S. H. Lay's house bears $N. 4^{\circ} E. 1$ chain 7 links and Stephens's house
 bears $S. 43^{\circ} W. 1$ chain & 35 links thence $S. 5^{\circ} 45' E. 4$ chains 82 links
 thence $S. 84^{\circ} 45' W. 5$ chains & $9 \frac{3}{4}$ links thence $S. 5^{\circ} 45' E. 10$ chains
 46 links to post witness an Elm 36 inches \varnothing . $N. 12^{\circ} W. 1$ chain
 and 7 links and oak 38 inches \varnothing . $S. 31^{\circ} E. 94$ links thence
 $S. 84^{\circ} 45' W. 34$ chains 25 links to a post witness a Iron wood
 4 inches \varnothing . $N. 52 \frac{1}{2} W. 4$ links Beech 8 inches Diameter
 $S. 69 E. 28$ links $S. 5^{\circ} E. 12$ chains 75 links to a post Beech 16 inches
 Diameter $N. 88 E. 16$ links Sugar 15 inches \varnothing . $N. 51^{\circ} W. 22$ links
 thence $S. 84^{\circ} 45' W. 39$ chains 50 links to a post Walnut 9 inches \varnothing .
 $N. 21 E. 26$ links ash 20 inches \varnothing . $S. 59 \frac{1}{2} E. 61$ links thence $N. 5^{\circ} W.$
 28 chains 6 links to a post an Elm 18 inches \varnothing . $N. 51 \frac{1}{2} E. 6$ links
 Sugar 24 in. \varnothing . $S. 84^{\circ} W. 42 \frac{1}{2}$ links and thence to the place of
 beginning containing 186 acres

Sec 8. Town 1. Range 11. Miami County




Chain bearing Thomas Dewese Thomas Dewese who was sworn

Survey for Dewese Dewese Oct 4th 1824 by

Robt. Young County Surveyor
Miami County

Plot of the East half of the South West quarter
of Sec 36 Township 7 of Range 5 East




Commencing at A old gr section corner

B	Metrop Beech	12	In D	N 57° E	15 1/2	Lim 15
	Sugar	10		N 81 W	19	
C	Beech	8		S 44 E	7	
	Leo	20		N 74° 30' E	20	
D	Beech	16		N 17 E	25	
	Beech	24		S 22 W	12	


Jepe Gerard & James Murphy chain carriers
sworn

Surveyed 13 & 14 May 1825 - John T. Tullis Surveyor
Miami County

Plot of Part of Trac Sec 11. T. 1. R. 10 W. 3 S.



Plot of the NWqr of sec 29 T7. N 5 East




- A Walnut Buckeye 20. 86° W - 12 1/2 Linch
Do. 18 N 86 W - 21
- B " Sycamore 4 177 E 5 1/2
Elm 36 437 W - 79
- C W Walnut 12 N 55 E 18
Sugar 16 425 E 55 1/2
- D Blue ash 6 S 80 W - 13
Oak 24 S 36 W - 37

Richard Thomson & Elijah Hunt chain carriers
affirm

Surveyed T & 2 May 1826


John L. Dullis Surveyor
Miami County



AB $N 5^{\circ} W$ 60.20 chains
CD $S 39^{\circ} E$ 5.50
EE $S 73.35^{\circ} E$ 9.22
GH $S 85^{\circ} W$ 21.50
IK $S 85^{\circ} W$ 10.00
LM $S 85^{\circ} W$ 26.39
NA $S 85^{\circ} W$ 28.60

BC $N 81^{\circ} 30' E$ 72.65 chains
DE $S 65^{\circ} E$ 28.4
EG $S 5^{\circ} E$ 5.00
HI $S 5^{\circ} E$ 5.00
KL $S 5^{\circ} E$ 12.50
ML $S 5^{\circ} E$ 25.75

A South West corner of Section
B
C



AB	N 5°	W	60.20 chains	BC	N 84° 30'	E	72.65 chains
CD	S 5°	E		DE	S 85°	W	
EE	S 5°	E	5.00	EG	S 85°	W	10.00
GH	S 5°	E	12.50	HI	S 85°	W	26.39
IK	S 5°	E	25.75	KI	S 85°	W	28.60


a South West corner of section
B

Begin at Stump of Sugar Tree P

S. $3\frac{1}{4}^{\circ}$ E. 2.73 to stake
 S. $85^{\circ}50'$ W. 35.27
 N. $3\frac{1}{4}^{\circ}$ W. 38.75 to sec. line N.E. Stake
 N. $81^{\circ}5'$ E. 18.56 to N.W. Cor. of P.R. tract
 S. 24° E. 17.37 to S.W. Cor. " "
 East. 2.79 to top of bluff
 S. $51\frac{1}{2}^{\circ}$ E. 10.50
 S. 47° E. 16.00
 S. 86° W. 7.00 to place of beginning

Survey for Esauhard
 Survey from May 10th & 11th 1858

Part of M. of the 26 Town 2 Range 11 M^{ts}



Beginning at ~~A~~ on the East line of said quarter section 14 chains 82 links from the South East corner witness a Sugar 24 Inches diameter N. 32.30 W 12 Links

B Beech 24 Inches diameter N 45.30 E 30

C Beech 6 Inches diameter S 61.30 E 46

D Beech 10 Inches diameter S 78.15 W 22

E Beech 10. Inches diameter N. 77. 15 W 11.


Chaw Carvers Robert Stepten & James M^{ts} who were duly sworn

Surveyed Oct 6th 1824

Robert Young County

Thomas County

Part of S E q^r of Sec 25 Town 8 Range 5 E



Beginning at A being the S E corner of said quarter
 Swamp ash 20th S 44^o E 57 L
 Hickory 36th N 55^o E 46 L
 Thence S 85^o W 13.45 chains Beech 20th S 58^o W 12 L
 Beech 20th S 19^o E 15 L
 Thence N 8^o 15^o W 40.13 ch Beech 12th S 33^o E 28 L
 Hickory 30th S 37^o W 40 L
 Thence N 85^o E 13.45 ch to N E corner of said quarter
 Hickory 18th N 3^o W 19 L
 Beech 10th N 55^o E 14 L


Thence S 8^o 15^o E 40.13 L to place of beginning
 containing 55 Acres.
 Corner of q^r section shown by a plat furnished by
 James Bryan Calhoun County Surveyor

Chain carrier Mory G. Mitchell &
 James Ramsey Sworn

Surveyed 14th February 1825

John T. Tullis Surveyor
 Calhoun County

Plot of sec 27 T5 R6 East



A Witness Red Oak 6 Ln $N 42^{\circ} E 6$ Links, Sugar 3. Ln $N 36^{\circ} E 46$ Links

F centre corner on West line

Fa Witness Sugar 12 Ln $N 73^{\circ} E 45$ Links, Red Oak 12 Ln $S 42^{\circ} W 57$ Links

B " White Oak 20. $N 66^{\circ} W 30$ White Oak 15 $N 60^{\circ} E 41$

C " do do 10 $N 76^{\circ} E 26$ Hickory 3 $S 35^{\circ} W 6$

D South West corner of Section

John Gabagan and


William Gabagan chain carrier, sworn

Surveyor for William Gabagan

16th Nov 1825

John T. Tully Surveyor
Miami County

Plat of 50 Acres in Fractional Section 34 Town 5 - Range 6. East




A Stone	chain from SE corner New Oak 36 inches		
	Diameter 8 1/2" W 27 lbs Sugar 18	N 85 1/2 E	24
B Stone	White Elm	14 S 48 1/2 W	33
	Sugar	24 N 33 1/2 W	20
C Stone	White Elm	48 N 43 1/2 W	7
	Leo	48 S 65 E	49
D Stone	Leo	18 N 9 E	17
	White Oak	30 S 51 W	19

Containing 50 Acres
 Surveyed 1849 now ~~to~~ 1925 for Edward B. Smith
 Benedict Smith
 Abraham Hathaway chain carrier
 John T. Dull Surveyor
 Grand County

Part of Part of Sec 34 Township 2 of Range 9 N.M.

42 90
55 31
81 41

1987
2070
1990 90
7948
50.8



Commencing at A on the East sectional line
Witness White Oak 18 In to S 77° W 19 Link

Red Oak 20 N 43 W 14 1/2

Thence North 19.80 chains to B

Thence West 42.90 Chains to C on the River bank

Thence S 5 E down the river 19.94 chains to D

Witness Buckeye 8 In to S 47° E 17 L

Lynn 6 N 32 E 28

Thence East 38.51 to beginning


Containing eighty Acres

Olin Talbot & John Pop chain & arrey sworn

Surveyed for Samuel Young 20 Decr 1825

John T. Tullis Surveyor
Miami County

Plat of Part of Fractional Sec 10 T4R6 East




Witness at A White Oak 12 In L N 19° E 22 L Sec 10 In L S 60° 30' W 20 L
 B Red Oak 36 " N 85° E 16 " W Oak 2 " N 70° E 11
 C Old corner of Tract
 D Hickory 12 S 79° W 16 " Sec 14 N 57° 30' E 17
 E corner of section
 F Elm 10 S 23 W 11 1/2 Sugar 2 S 89° E 18
 G a stake
 H Oak 20 N 38° E 9 Black ash 8 S 2° 30' W 19
 I Iron wires 8 N 57° 30' W 6 1/2 White Oak 4 S 9° 30' W 9
 K Blue ash North 27 Black Walnut 29° E
 L Blue ash corner 4 In D
 M Red Oak 8 S 10° 30' E 18 White Oak 2 S 54° W 13
 Chain carried Samuel Senking & Isaac Senking
 Marked Elm Senking Sworn
 Surveyed for the heirs of Lepe Senking dec'd

30th August 1826

John T. Tully Surveyor
Miami County

Plat of part of Trac Sec 11. T. 12 N. R. 10 W. MSB



A South West corner of Section

B North West corner of Section

C A stake on north sectional line Witness

Sugar 8 N 10° W 1/2 L Do 5 S 30° W 27

D A stake on line of Staunton plat Witness

From north sectional line S 59° W 8 L Walnut 3 S 15° E 2 L

E North West corner of Staunton Witness

Walnut 36 N 82° E 5 L Do 12 N 65 1/4° W 25 1/2 Link

F South West corner of Staunton

G A stake on the bank of the River. From G to A


N 63° W 5.65 ch. S 75° W 6.80 ch. S 62° W 5.00 ch. S 66° W 8.00 chains

Are our son T. T. T. John Cummins & Elisha Childers
Chain carriers Sworn

Surveyed for Charles Davis 8 & 9 August 1826

John T. Tublis Surveyor
Miami County

Plat of Sec 6 T5 R6 East



28.34
28.34
31.09
87.67

23.98
26.62
31.02
87.62

- Witness at 1 Beech 20 In O N 88° E 6 L Beech 24 S 88° 30' W 38 L
 2 Water Beech 3 S 43° 30' W 6 L 4 S 64° 30' E 17
 3 W Oak 20 S 60° W 17 W Oak 20 N 7° 15' E 11
 4 Beech 10 S 57° W 23 Beech 20 East 33
 5 Beech 30 N 70° 30' E 3 Blue ash 6 S 715° W 39
 6 Beech 6 S 70° W 22 Beech 7 N 16° W 36
 7 Beech 10 S 40° E 20 W Oak 24 N 81° W 31
 8 Beech 12 N 79° 15' E 16 Beech 8 N 32° W 20


containing 610 acres

Chains carried from Jacob Martin & Isaac Martin
 Surveyed 15 16 Aug to 16 1826 for Samuel Martin

John T. Tullig Surveyor
 Missouri County

Plan of the N E q^r of Sec 24 T7 R5 East

1-87



A Corner on center East line W street

B Black Hickory 40 N 15° W 14 L Lynn 6 N 62° E 12

C Swamp ash 30 S 27° W 30 L

D Poplar 36 S 20° 30' E 40 Beech 12 S 35° W 54

E Oak half way corner

F Elm 36 S 27° E 20 Beech 3 N 7° W 17 L

G North East corner of Section

Surveyed 16 & 17 August 1827


Asen Tullis & James Shackelford Chain carriers sworn

Walter Murray Marker

John T. Tullis Surveyor

Miami County

Plat of Part of Tract No 34. T. 5. R. 6. E. 20



Commencing at A witness white oak 20 In D. N 19° 30' W 18 L
 8 " " S 30 30 W 12

Thence N 85° E 14 chains

Thence N 5° W 15 chains white oak 3- S 25 W 8 1/2
 Black oak 14 N 60 E 29

Thence N 66 1/4° W 2.50 chains

Thence N 14° W 10.50 "

" N 29° 30' W 14.00 "

" N 50 15 W 3.50 "

" N 40 W 5.00 to intersect the line between
 Hart & Phillips on the East bank of the little pond

Thence with said line S 50 W 46.90 ch to the
 place of beginning containing 33.32 acres

from C to D N 36° 19' W 26.93 chains

South of C D 28.69 acres

John Hamlet and Elizabeth Pettit chain carriers for
 sword.

Surveyed 15 November 1827 for Lewis Hart

John T. Tully Surveyor
 Miami County


A B N 89° 45' W 40.01 A W Oak 30 North 49 E Buckeye 18 S 12° 30' W 35
 B C North 33.78 B S W corner of section
 C D North 5.58 C Sugar 20 N 64° E 43 Buckeye 5 N 35° E 21 1/2
 D E North 39.37 D Buckeye 10 S 8 W 32 Buckeye 10 N 8 E 8
 E F N 89° 45' E 39.83 E N W corner of section
 F G N 89° 45' E 39.83 E Buckeye 8 N 58 E 17 W Elm. N 2 E 25
 G H S 15 E 39.75 G N E corner of section
 H I West 27.60 H W Oak 10 N 25 15 E 59 N 59 15 61
 I K N 15° 30' W 8.50 I W Walnut 3 N 21 30 E 34 W Walnut 3 N 37 W 41 1/2
 K L S 81 45 E 27.00 K W Thow 5 S 87 W 34 W Thow 7 N 36 W 25
 L M S 1.45 N 4.35 L W Oak 36 S 38 W 13 1/2 Buckeye 12 N 58 E 31 1/2
 M N South 5.58 M W Oak 20 N 53 W 24 Back bay 20 S 10 E 27
 O I East 12.32 N Back bay 36 W 11 Buckeye 15 N 76 E 25
 P F N 7 W O Sugar 20 S 80° 30' E 15 1/2
 N C East 23.36 N Hickory 3 N 59 30 E 6 W Hickory 5 S 24 W 10 1/2
 A O N 7 W 39.56 S W Oak 20 N 22 W 7 W Oak 20 S 48 E 42
 P S N 15 W 39.68

39.37

27.60
 12.32
 39.92

39.74

Sec. 2. T. 10. R. 10. W. 10.



27.60
 12.32
 39.92


Chain carried Andrew Dyer & Francis S. Delavan sworn
 Surveyed 27th & 28th November 1827

John T. Tullis Surveyor
 Miami County

61.54
40.77


I Logwood 8 in N 45° E 25 Ash 5 N 85° W 19 1/2 L

Section 4 T4 R6 E



A S E corner of Section
 B is an old corner between the S E & S W quarters
 C S W corner of Section
 D Sugar 20 In D N 54° 30' E 9 Links Sugar 15. S 10° 30' E 30 1/2 Links
 E Hackberry 11° E 20 In D 11 L Buckeye 6 In D S 84° E 30 L
 F North East corner of Section.
 G Iron wood 12. N 63° 30' E 15 L Black hickory 14 S 3° 30' E 44 L
 H Blue ash 12 N 85° W 25 Hickory 15 S 47° 30' E 50 Links
 Chain carriers David Jenkins & Samuel Youart Swors
 Surveyed 30 November 71 December 1827
 John J. Tullis Surveyor
 Miami County

S 24 T 2 R 11. 2004



A Elm 20 S 61° 15' N 16 L Buckeye 15 N 67° 15' E 24

B An old quarter section corner

C center corner of section 16

Sycamore 36 ~~1/2~~ N 56 L N Oak 15 E 5 L

D Peach 18 S 41° E 22 Buckeye 3 N 36° 45' N 18 1/2

John Hise and Harmon Hise chain carriers sworn
Surveyors 7th 48 December 1827

John T. Tully Surveyor
Miami County

Note The two corners at C & D are 30 Links to the right

AB N 82.50 E 36.47
 CD N 86 15 E 17.06
 EF S 5 E 4.12 1/2
 GI S 5 E 32.35 1/2
 JH S 84.21 W 20.11
 IM S 84.21 W 40.11
 NA N 5 15 W 39.94
 OR N 84 26 E 11.11
 QP S 75 15 W 11.25
 RB N 7 47 W 36.87 1/2
 SR N 7 47 W 14.94
 TI N 84.21 E 21.28
 UV S 5 E 20.96
 DV S 5 E 4.12 1/2

BC N 86 15 E 18.35
 DE N 86 15 E 8.52
 FG S 5 E 17.92
 HIJ S 5 E 25.00
 JKL S 84 21 W 20.00
 MN N 5 15 W 39.94
 NO N 84.26 E 27.13
 PQ N 7.47 W 4.12 1/2
 PO S 7.47 E 2.32
 LS N 7 47 W 25.00
 ST N 84 21 E 20.00
 TK S 7.47 E 25.00
 VG N 88.35 E 25.60
 VE N 86 15 E 8.52

A Original section corner

B Original quarter section corner

C Beech 8 N 73° 30' W 19

Sugar T N 87 E 54

D Beech 10 S 62 E 17

White Elm 26 N 34 E 26

E Section corner in a field no witness found

F Buckeye 8 S 32 W 8

G Beech 12 N 69 E 40

Beech 14 87 30 W 65

H Original quarter section corner

I Elm 20 S 64° 30' W 16

Elm 8 N 38 E 102 in branch

J Original section corner

K Beech 15 S 52 45 E 4

L Beech 10 S 61 W 7

Beech 15 N 74 E 22

M Original section corner

N Beech 6 S 5 W 13

Beech 14 S 26 E 24

O on quarter section

No witness

P Beech 12 S 86 W 45

Beech 12 S 49 W 31

Q Beech 12 S 30 W 21

Beech 14 N 83 E 33

R center corner no witness

S Beech 16 S 5° 45' E 53

Beech 11 N 25 E 79

T Beech 14 East 4

Beech 12 S 61 W 22 1/2


U In field no witness

V Beech 24 S 72 30 W 19

Beech 11 S 64 E 69 1/2

Section 31 Town 6 Range 6 East

1-99




Chain carriers Jacob Matias & Armstrong & Sanders
 Marked Richard Moorers who were all duly sworn
 Stones have been sunk in the ground at every corner
 on said Tracts of land in my presence
 Surveyed by Special Appointment from John
 T. Tullis Surveyor Miami County on the 2, 3 &
 16 of March 1827 By

Robert Young

John T. Tullis Surveyor
 Miami County

Sec 8. T5 R6 East




B. Elm 18" N 61° 44' E 6 links
do 16" N 44° E 17 "

- A Beech 18 S 13° W 22 Links Beech 18 S 58° 30' E 51
- B North West corner of section
- C Maple 20 S 39° 30' E 45 Beech 20 N 24 30 E 74
- D Beech 15 N 36 30 W 58 Beech 24 S 33 30 W 40
- E Beech 18 N 41.30 E 44 1/2 Sugar 6 S 2 E 22
- F Apple tree 6 N 50 30 W 63 Apple tree 6 S 84 W 38 1/2
- G Apple tree 7 S 35 30 W 96
- H Beech 20 N 22 30' W 44 Beech 15 N 60 W 35
- I Gray ash 6 S 29 30 W 26 Mr Oak 20 S 55 45 W 78 1/2
- E F N 84° E 14. c k F G N 5° 12' W 2.54
- G H N 84° E 15.69

Chain carriers Jacob Martin & Jacob Beebe Surveyors
Suzer for Thomas Barber & Joseph Martin 20 & 24 Feb
1828


John J. Tubbs Surveyor
Miami County



AB N 84° 37' E 7.90 BC N 84° 37' E 10.40
 CD N 84 37 E 22.43 DE S 3 43 E 11.12
 EF S 3 43 E 31.94 FG S 5.21 E 7.48
 GH S 5 21 E 32.00 HI S 86.17 N 20.22
 IK S 86 17 N 20.22 KL N 4 37 W 39.95
 LA N 4 37 W 41.87 BS S 4 37 E 19.58
 SR N 84 26 E 6.26 RQ S 4 37 E 22.50
 LQ N 86 38 E 14.16 QP N 86 38 E 5.87
 PN N 86 38 E 7.51 NO S 3 43 E 8.00
 NM N 3 43 W 31.92 ME N 84 37 E 12.52
 MT S 84 37 W 9.91 TC N 3 43 W 11.12
 GO S 84 26 W 12.52 IP N 4 21 W 39.95

A Hackberry 20 S 6 S 11° E 11 S Buckeye 6 S 84° E 30 Lint
 B W Oak 24 S 46 30 E 60 W Oak 36 S 30 W 54
 C Red Elm 20 S 84 E 20 W Oak 8 S 57 E 20
 D North East corner of Section
 E Elm 18 S 74 W 52 Red bud 8 S 56 E 44
 F Original quarter section corner
 G Buckeye 10 S 66 W 17 Walnut 10 N 86 E 10
 H South East corner of Section
 I Sugar 8 S 31 30 E 31 G Ash 20 N 70 W 35
 K Original quarter section corner
 L Dogwood 8 N 45 E 25 G Ash 5 N 85 W 19
 M Red bud 4 N 45 E 48 W Oak S 64 W 84
 N No bearing tree noted
 O Blk Ash 15 N 54 E 27 Elm 12 N 28 W 16
 P Sugar 18 S 87 W 50 W Oak 4 N 9 W 18
 Q Buckeye 18 N 17 30 W 72 Buckeye 20 S 60 W 10
 R Blk Walnut 24 N 54 E 178
 S Apple tree 8 S 78 E 31 Apple tree 5 N 1 W 45
 T Buckeye 12 N 81 E 24 Dogwood 15 S 3 E 21

Sec 4 T. 4. R. 6. East



Chain carriers William Gowat & John Westgate Surveyors
 Surveyed 20, 21 & 23 June 1828 under the direction of
 Cornelius Westgate, William Brown & James Hanna
 Commissioners

John F. Tullis Surveyor
 Miami County

[Signature]

K M South 1.00 N M $89^{\circ} 43'$ E 20.00

N I North 1.00


N M I K contain 2 acres

Stones were planted at all the corners in my presence and in presence of Larry Brown & Abraham Brown

Chains earlier Larry Brown & Abraham Brown sworn


Surveyed 29 & 30 July 1828

John G. Tully Surveyor
Miami County



- A South West corner of section. These last new witness taken
Buckeye 20 S 85 E 46 L
- B Buckeye 4 N 83 30 E 3 Sugar 20 S 29 E 30 1/2
- C North West corner of section
- D Sugar 10 S 12 E 78 Walnut 4 S 12 W 74
- E North East corner of section
- F Swamp ash 10 S 46 W 3 1/2 Swamp ash 12 N 63 E 18
- G Original gr section corner
- H South East corner of section
- I White Oak 20 S 74 W 6 1/2 W Oak 16 S 34 W 61
- K Sugar 8 N 40 W 26 Buckeye 4 N 30 E 42 1/2
- L Original gr section corner with cut down & decaying
Sugar 20 N 88 W 44 White ash 15 N 37 E 27
- M Sugar 8 N 40 W 26 Buckeye 4 N 30 E 42 1/2
- N W Oak 4 N 52 W 26 W Oak 4 N 72 E 35 1/2
- O Sugar 18 S 52 E 19 Swamp ash 3 S 77 W 29 1/2
- P Rock 36 N 6 W 24 1/2


Sec 18. Town 1. Range 10 N. R. 10 W.




9

Survey I. R. H. 1811

111



Sec 18. T. 1. R. 11. W. N




From A B N 33' W 31.50 B C N 33' W 1.60
 C D South 47.95 D E N 89° 46' E 26.87
 E F S 90° 30' E 8.90 F G S 15° W 5.32
 G A S 11° E 34.89 G B S 36° W 42.12

- A White Oak 36 West 9 1/2 Do 18 S 58 E 66 L
- B do do 12 N 65 W 58 Sugar 24 N 62 E 65
- C do do 04 N 80 1/2 E 21 White Oak 6 N 30 1/2 W 39
- D Original corner of Preemption
- E Elms 15 N 75° 15' E 32 White Oak 24 S 71 W 1.53 1/2
- F No bearing tree noted
- G Red Oak 30 N 42 E 1.31 ch

William Cummins & Joseph Jones chain carriers
 by consent
 Surveyed 29 Sept 1828 for Thomas Cummins &
 William Cummins

John T. Pells Surveyor
 Miami County

Sec 16 T2 R9 Mrs



- A North West corner of section
- B Sugar 26 S 19° W 4 Links Sugar 10 N 52 W 26 1/2
- C Sugar 12 S 65.45 W 38 Blue ash 4 N 23 W 31
- D North East corner of section
- H Sugar 10 S 63 W 24 Dogwood 3 N 80 E 18 1/2
- F South East corner of section
- G Original quarter section corner
- H Sugar 20 S 81° 15' W 35 Ash 4 N 22 E 1 1/2
- I Hickory 4 N 47 E 25 Sugar 20 S 40 W 22
- K South West corner of section
- L Sugar 15 N 19° 30' E 9 1/2 Sugar 8 S 27° 15' W 40
- M Original quarter section corner
- N Sugar 12 S 28 E 6 Sugar 14 N 32 W 4 1/2
- O Ash 20 N 8 1/2 E 8 Hickory 6 S 74 W 21

Chick Hopking and annex to Price Chain corners
 Survey 13 & 14 April 1829

Surveyed from the center
 of lines by consent


John T. Tullis Surveyor
 Miami County

A.D. S 43 51 E 40.07 ch A N.W. corner of Sec
 D.C. S 57 10 E 9.72 D center corner
 C.D. Same 29.95 C sugar 20 S 58 10 77
 H.H. Meanders River do 18 N 81 10 75
 F.C. do do D S.W. corner of Sec.
 C.H. S 85 15 W 31.77 H S.E. corner of Sec.
 H.H. S 42 31 E 49.47 H sycamore N 80 E 1
 H.H. S 85 37 E 28.80 do 6 S 42 E 7
 H.C. S 85 37 W 33.79 C N.E. corner of Sec.
 H.H. S 85 15 W 34.21 H N.W. Ch 36 N 30 W 11
 D.H. S 85 37 E 36.21 do 30 S 21 E 11
 H N.W. Ch 25 N 53 E 25
 do 24 S 32 31 W 30

The Witness trees at D cut down
 noted Gray ash 10 N 88 W 41 E
 Walnut 12 S 22 W 77 E

See 34. L- R 6 E


143



Surveyed by an order of Court of Common Pleas on the 8, 9, 10 & 11 days of July 1833
John L. Starr and Stephen Dye chain
Carriers & S. A. & C. the Pivot man
severally sworn.

Leob Lemoss
Dep Surveyor
John L. Tully Surveyor
Miami County

frac. sec. 23 } Township No. 1. Range No. 10 Mrs.
part " " 17 }



A center north boundary sect. with NW cor. of sec 17 do
to $\angle 73^{\circ} 30' E 35$ thence $N 88^{\circ} 51' W 13.88$ to B

Thence same 26.12 to NW corner sec 17
same 11.87 to river thence $S 8^{\circ} E 8.10$ ch, $S 10^{\circ} 30' E 4.72$, $\angle 11^{\circ} E 6.50$,
 $\angle 27^{\circ} 15' E 3.70$ $\angle 48^{\circ} E 4.00$, $\angle 52^{\circ} E 9.60$, $\angle 63^{\circ} E 3.60$, $\angle 59^{\circ} 45' E 4.60$
 $\angle 66^{\circ} 30' E 3.60$ $\angle 76^{\circ} 30' E 4.50$, $\angle 71^{\circ} 30' E 2.91$, $\angle 75^{\circ} E 7.05$ III


thence $N 40' E 38.73$, ~~same 19 chain~~ $\angle 75^{\circ} E 1.09$ ch
 $\angle 63^{\circ} E 5.83$, $\angle 70^{\circ} E 8.00$ also comes on river
thence $N 40' E 44.00$ III B $N 40' E 38.73$

Surveyed 19 & 20 July chain carriers John L. Store
& Stephen Dye Sworn

John L. Tuller Surveyor
Miami County


From 1 to 2	East	2.77 ch.	8 to 9	West	8.34 ch
2 " 3	do	4.34	9 " 10	do	2.77
3 " 4	do	4.34	10 " 11	do	2.77
4 " 5	do	2.77	11 " 12	do	8.24
5 " 6	do	2.77	12 " 13	do	2.72
6 " 7	do	8.34			
12 " 14	South	12.00	2 " 11	North	28.00
14 " 15		4.25	3. 15	do	27.16
15 " 16		4.26	4. 16	do	26.32
16 " 11	North	13.68			

Plat of 30 acres of the North side of the North West quarter of section No 3 T. 1 N. 11 W. R. 3





- A original quarter section corner a stone
 - B stone } Surveyed 25th December 1835
 - C a stone } of Menner Lones; Chairman ^{Samuel} ~~of the~~
 - D a stone } ~~of~~ Mr Dowel and Alexander Byers. ^{John H. West} sworn
- John H. West
Udavi County

Plot of Section Six Town 1 Range 10 M^{rs}




- A N E corner of Section B S E corner of Section 23
 - C S W corner of Section D N W corner of Section
 - E a N oak 20 in S N 44 W 24 R oak 24 in N 17° W 27 links
 - F W oak 20 in S E corner tree,
 - G a Maple 7 in S N 70° E 19 R oak 10 in S. S 15° W 25 links
 - H Original quarter section corner stone
 - I a stone of N. Elm 16 in S 15° W 9 R oak 5 in S 15° W 17 links
- Surveyed 29 & 30 of December 1835 by Benjamin Lee & others, Benjamin Mallace & Jenny Hooper, claim men sworn
 John H. Wolcott Surveyor
 Miami County






Handwritten scribbles or notes, possibly including the number '5'.



Al. Th. C. Th Corner of Section

- a red brick 8 S 51 W 25% Sugar 6 S 73 E 16%
- b Centre corner section
- c Sugar 20 in S 31 W 31 Beech 20 S 47 E 19
- d Sugar 24 N 35 W 14% Sugar 5 N 56 E 7
- e Pigeon oak 20 N 23 W 16% Pigeon oak 14 N 33 E 58
- f Gray ash 10 N 16 W 6 Gray ash 10 S 11 W 12
- g Sugar 16 S 57 W 11% Beech 24 N 57 E 32
- h Mulberry 4 S 19 W 25 ash 6 N 11 E 45
- i Iron wood 2 N 19 W 20% Beech 4 N 48 E 25%
- j Linn 10 N 23 W 25% Oak S 50 W 28
- k Sugar 11 S 75 W 36 Sugar 12 N 45 W 1


Sec 1. T. 11. R. 11. M. 13.



Surveyed August 20 & 21, 1832
 William Martin & Amos Spencer
 Chain carriers, sworn

John T. Fuller Surveyor
 Miami County

East 1/2 of Sec: 10 T. 9 R. 4 (East) W. 1/2 of Sec: 12




- C - Stem - Burr oak 20 S 47 1/2 W 14
- H - do Red oak 19 S 48 1/2 W 13
- Elm 17 S 11 E - 26
- J - do - Ash 5 N 65 W - 7
- G - do - w. oak 20 N 79 W - 10
- do 18 S 39 E 16 1/2
- L - do - Buckeye 15 N 86 E 16
- Hickory 2 S 26 1/2 W 25
- K - do Virginia S. Sec corner
- D - do do do do

James Hanks deputy Surveyor for the

Surveyed Nov. 20 to 21. 1854

James Lacey }
 Joshua Swank } ch. men


Plot of section 15 L2 R11 MRS



- A Original Section Corner a stone sunk
- B original quarter section Corner a stone
- C a beech 8 in S 15° E 4' do 24 in N 8° E 19 links
- D a beech 30 in S 5° N 31 do 18 in N 22 E 15 links
- E North west Corner of Section a stone
- F Original quarter section Corner stone
- G South west Corner of Section a stone
- H Elm 16 in N 42° N 14 .. do 24 in S 62° W 26 links
- I South East Corner of Section a stone sunk
+ a beech 15 in S 57° N 44 a Wash 24 in S 37° N 5 1/2 links
- K Hickory 12 in N 72° N 14 B oak 40 in S 16° E 17 links
- L a beech 18 in S 72° N 20 do 6 N 66° W 19 links
- M Hickory 20 in N 70° W 19 1/2 a beech 6 in S 61 E 25 links
- N a beech 8 in S 5° N 20 do 8 in N 55° W 16 links
- O Elm 16 in N 29° W 14 R. oak 10 in N 31 1/2 E 42 links


Surveyed the 14 & 15 of February, 1836 for Thomas Shidle
 & others. Chaimmen Samuel Long & David Gray
 John Holcomb Surveyor
 Miami County

Plot Section 12 T4 R4 East



A Original quarter sec. Corner on the N boundary.
 B a Lynn 4 in $S 46^{\circ} W 25$, a beach 19 in $N 31^{\circ} E 15$ links
 C a beach 3 in $N 50^{\circ} E 8$, do 10 in $S 4^{\circ} E 21$ links
 D Elm 15 in $S 35 \frac{1}{2}^{\circ} E 4$ Hickory 4 inch $N 44^{\circ} W 7 \frac{1}{2}$ links
 E a beach 20 in $N 29^{\circ} E 29$ do 6 in $S 3^{\circ} E 29$ links
 F B Ash 4 in $N 35 \frac{1}{2}^{\circ} E 18$ do 8 in $S 35 \frac{1}{2}^{\circ} W 24$ links
 G Hickory 24 in $S 45^{\circ} W 2$ Lynn 13 in $N 18^{\circ} W 41$ links
 H Original $\frac{1}{2}$ section Corner on the South boundary of sec.
 surveyed January 12th 1836. by chainmen Stephen Cole
 and Thomas Orr Surveyor James Banks Deputy
 Surveyor Miami County
 John H. Wolcott Surveyor
 Miami County

Plot of Section 21 T2 R12 NEs




- A Original Section Corner
- B Original quarter Section corner
- C North East corner of section
- D Original quarter Section corner
- E North west Corner of section
- F a beach 8 in N 61° W 15' E Dogwood 4 in S 41° W 20' E links
- G South west Corner of section
- H Elm 8 in N 54° W 41' E Beach 10 in S 12° E 50 links
- I B oak 40 in N 29° E 20, Beach 18 in S 3° E 48 links
 Hickory 20 in S 89° 30' E 37, Lynn 18 in S 52° W 33 links
- K A ash 20 in N 30° E 13 Lynn 20 in N 10° E W 18 links

Surveyed the 15 & 16 February 1836 Chairman
 William S Drake & David Potts, Sworn,
 John H Wolcott Surveyor
 Miami County

Section 26 T2 R11 W3


7/1



✓

Plot of Section 20 T2 R11 W3


163



4

✓


Plot of part of section 11. T2 R9 W2S
Elihu Hopkins



- A Ironwood 6 in S82° E 233 links Maple 4 in N52 E 23 links
- B Red Elm 12 in N43° W 30 links do 13 in S84 E 34 links
- C
- D


Chainmen Jacob Forbis & Gordon Songer Swann
Surveyed 29th March 1836 John F. Wolcott Surveyor
Miami County

Plot of part of section 23 T2. R9 W3
for Daniel L. Ellis



- 1 South East Corner of section a stone planted
 - 2 a stone in the Road
 - 3 a sugar 18 in N 65° E 62 links do 10 in S 79° W 92 links
 - 4 Stone in the section line
- from 2 to C West 2 poles from C to a N 39° W 2.79 / 100 poles
- Chainmen Elisha Hopkins & William James Swann
Surveyed March 29th 1836, John H. Wolcott Surveyor


W. County



- 1 Cherry 10 in N 15 W 33 links do 6 in N 26 E 51 links
- 2 South East corner of section a stone planted
- 3 Birch 20 in S 49 W 75 1/2 links do 20 N 41 1/2 W 97 links
- 4 Birch 8 in N 6 W 50 links do 10 in N 85 E 40 links
- 5 a stone planted
- 6 North East corner of section a stone planted
- 7 Birch 10 in S 20 E 60 links Black walnut 4 do S 10 W 55 links
- 8 a stone planted
- 9 Birch 10 in N 84 E 14 links do 10 in S 20 E 19 links
- 10 Birch 12 in S 87 E 12 links do 12 in N 77 W 40 links
- 11
- 12

Witness Benjamin Robbins & John S. Dodson sworn
 Surveyed October 24th 1836
 John H. Wolcott Surveyor
 Meigs County

Plot of part South half of Section 23 T2 R9 MB
 Wain & Pease




- 1 South East Corner of section a stone planted
 - 2 Sugar 18 in N46 E 34 links R Elm 18 in N74 E 59 links
 - 3 R Oak 16 in S47 W 53 1/2 links a Sugar 24 in S74 E 73 links
 - 4 South West Corner of section a stone
 - A R Elm 10 in S20 E 21 links, R 20 in N14 E 28 links
 - B B Walnut 12 in S66 W 60 links, W Oak 20 in S35 E 56 links
 - C B Walnut 12 in N45 E 32 links -
 - D Blue ash 6 in N27 W 22 links W Oak 10 in S72 W 20 1/2 links
- Chaimmen John Stonebraine & John Spragg, Surveyors
 Surveyed the 30 & 31 of March 1836

John H. Moleott Surveyor
 Miami County

Plot of part of the South quarter of Section
 21 T1 R11 W3 for John Hart.

171




- 1 a Stone in the Road S.W. Corner Cooper Shop N 38 1/2 E 46 links
- 2 a Black Walnut 14 in diameter N 69 W 48 links
- 3 Bush 30 in N 14 E 19 links do 12 in N 87 E 17 links
- 4 Bush 18 in S 60 W 13 links do 6 in N 89 E 30 links
- 5 witness } Chaimmen Henry Ortesen & Isaac F. Rollings
- 6 witness } Surveyed the 19th of April 1834

John H. Wolcott Surveyor
 Miami County

6 witness } ...

Plot of part of the South West quarter
of Section 14. T. 11. W. 11. S.



Magnetite north


Stems was planted at all the above corners
1 Buck 20 in N 13° W 50 links No 30 in N 15° W 50 links } 2 B Walnut 10 in

Surveyed April 26th 1836 } N 55° W 53 1/2 W Buck 7 in
N 82° W 55 1/2 links

John H. Wolcott Surveyor

U. S.

Plot of part of Section 14 and Fraction
to J. P. Bell and Co




Stones was planted at all the above corners.

Surveyed 26th April 1836

John H. Webb Surveyor
Ill. County

✓

Plot of Section 14 T1 N11 W1B -




- A the South West corner of Section a stone planted
 1 a quarter section corner a stone planted
 2 Elm 20 in N45°E 35 links Blue Ash 10 in S69°E 24 links
 3 Sugar 15 in N46°W 32 links do 15 in S55°W 21 links
 4 Beech 15 in N54°W 31 links W, Oak 24 in S66°W 36 links

B a stone } of Jesse Graham & Thomas Mitchell Chasman in
 C a stone } for the section, and Heran Smith & Isaac Clark
 } for the 20 acre lot all sworn

Section Surveyed May 1836; and the 20 acre lot in May
 1837.

John H Wolcott Surveyor
 W County



Robert Drumann } chairman on sec. 25.
 Abram Darst }
 George Gessman } chairman on sec. 26.
 John Singer }
 All severally sworn & affirmed
 J. Knapp Dep. Surveyor.

June 15+16. 1836.
 Approved
 John H. Wolcott Surveyor
 William [unclear]

Witness.

I N.E. corner of school house s. 35° W. 2.40 chains


C A. stone N. 53° W. 0.30 chains

V	Sugar 14 inches diam. s. 88° W.	0.27	—
W	Hickory 7	0.50	—
P	Crev. Ash 12	N. 8° W.	0.35
"	Hickory 7	S. 40° W.	0.18
T	Beech 14	S. 25° E.	0.23
"	Chim. 6	N. 45° E.	0.08
O	Hickory 14	S. 88° W.	0.27
"	Sugar 18	N. 50° W.	0.50
B	Poplar 26	S. 84° W.	0.22
"	Beech 14	N. 11° E.	0.13
X	Poplar 10	N. 5° E.	0.10
"	Sugar 6	N. 85° W.	0.10
S	Poplar 15	S. 20° W.	0.35
"	Sugar 15	S. 80° E.	0.33
F	W. Oak 14	S. 25° E.	0.14
"	Hickory 14	S. 28 1/2° E.	0.14
G	Maple 18	N. 62 1/2° E.	0.18
"	Beech 18	S. 46° E.	0.32
V	Poplar 20	N. 28° W.	0.20
"	Sugar 18	S. 5 1/2° W.	0.57
H	Ash 30	S. 64° W.	0.60
"	Elm 24	N. 75° W.	0.76
A	W. Oak 48	N. 10 1/4° W.	0.77
"	Sugar 18	N. 2° E.	1.06
D	Ash 12	S. 13° W.	0.18
"	Hickory 8	N. 70° W.	0.27

Sugar
Hickory

N. 27° W. 0.25 chains 9 in. diam.


Section 30 T5 N6. East



- 1 the South East corner of section a stone planted
 - 2 a quarter section corner a stone planted
 - 3 the North East corner of section - stone
 - 4 the North West corner of section a stone
 - 5 a poplar 30 in N46 W48 links Buck 18 in S60 E 56 links
 - 6 the South West corner of section a stone
 - 7 quarter sec corner, a sugar 20 in N64 E 21 links Buck 10 in S47 W 41 links
 - 8 a sugar 8 in N29 E 31 links Hickory 15 in S74 E 23 1/2 links
 - 9 Sugar 18 in S44 W 23 links Oak 18 in N61 E 24 links
- Chainsmen.

Surveyed September 1836


John W. White Surveyor
M. S.



- 1 South west corner of section a stone planted
 - 2 quarter section corner a stone planted
 - 3 South East corner of section a stone planted
 - 4 quarter section corner a stone planted
 - 5 North East corner of section a stone planted
 - 6 a stone in the Road
 - 7 a stone in the Road
 - 8 Black Ash 24 in S 68° E 27 links Buck 13 in S 53° W 46 links
 - 9 Buckeye 8 in N 46° E 55 links Buck 12 in S 26° E 53 links
 - 10 a stone planted
 - 11 Buck 15 in N 6° E 56 links Lynn 12 in N 55° E 41 links
 - 12 Ganueoa 6 in S 86° W 14 1/2 links buck 18 in S 89° E 43 links
 - 13 a stone 3 14 a stone 3 15 a stone 3 16 a stone
- Chairman Benjai Bousman & Joseph Kenyon Secy
Survey September 1836

John H. Wolcott Surveyor
M. Leamy


Plat Section 19 T2 R12 WRS
North East quarter



- 1 North East corner of section a stone planted
- 2 quarter section corner a stone planted
- 3 a beech 20 in $N 33^{\circ} 33'$ links do 16 in $N 16^{\circ} 23 \frac{1}{2}'$ links
- 4 Beech 10 in $N 3^{\circ} 25'$ links do 6 in $S 73^{\circ} 21'$ links
- 5 Hickory 18 in corner tree.
- 6 a stone planted in the Road
- 7 quarter section corner a stone planted

Chairmen, John Owen & Stephen Gausell
 Surveyed Sept. 4 1838
 John H. Wolcott Surveyor
 Miami County

Plat of the ^{West} ~~East~~ half Section 13 T7 R5 East 187




- A original half section corner
- B the North west corner of Section
- C Beech 4 in N 52 W 26 links. No 16 in S 36 E 20 links.
- D Beech 24 in N 77 W 9 links No 15 in S 42 W 8 links.
- E no witness taken
- F half section corner.

Chairmen Jacob Smeltzer & B. R. Shepherd 3 Survey
 Surveyed August 5th 1836.

I do hereby Certify the above Survey correct,

Approved
 John H. Wolcott Surveyor
 Miami County


James Hanks Deputy Surveyor
 Miami County



- 1 Cherry 10 in N 15 W 33 links do 6 in N 26 E 51 links
- 2 South East corner of section a stone planted
- 3 Birch 20 in S 49 W 75 1/2 links do 20 N 41 1/2 W 97 links
- 4 Birch 8 in N 6 W 50 links do 10 in N 85 E 40 links
- 5 a stone planted
- 6 North East corner of section a stone planted
- 7 Birch 10 in S 20 E 60 links Black walnut 4 do S 10 W 55 links
- 8 a stone planted
- 9 Birch 10 in N 84 E 14 links do 10 in S 20 E 19 links
- 10 Birch 12 in S 87 E 12 links do 12 in N 77 W 40 links
- 11
- 12

Witness Benjamin Robbins & John S. Dodson sworn
 Surveyed October 24th 1836
 John H. Wolcott Surveyor
 Meigs County

Plat of part of Section 35 T2 R11 WRS




- 1 Original quarter section corner a stone planted
- 2 Beech 10 in N 67° W 17 1/2 links or 12 in N 42 E 26 links
- 3 Blue hewatnut 10 in S 17 E 62 1/2 links
- 4 Beech 15 in north 20 links or 10 in N 50° W 49 links
- 5 Stone planted
- 6 Beech 15 in N 52° W 49 1/2 links or 10 in S 66° W 7 1/2 links
- 7 a Stone planted

Surveyed on 2^d day of March 1837
 James M. Rice } Chainmen, Surveyor
 William Melana }

Saml H. Holcott Surveyor
 Miami County


NB the small piece contains 200 square feet

Plat of section 29 T2 R11 MB
 Survey Feb 28th & 1st March 1837.



- 1 South East corner of section a stone plantiff
- 2 Elm 40 in S 52 N 37 links Beech 12 in N 50 E 36 links
- 3 N.E. corner of section Beech 18 in S 88 N 68 links Blue ash 10 in N 85 E 55
- 4 Beech 12 in S 53 N 28 links, Ao 20 in N 20 E 29 links
- 5 Original quarter section corner a stone,
- 6 Beech 10 in S 76 N 21 links Ao 8 in N 61 E 21 links
- 7 North west corner of section a stone plantiff
- 8 Original quarter section corner a stone plantiff
- 9 Blue ash 12 in S 33 E 40 links Elm 20 in S 70 N 55 links
- 10 South west corner of section a stone plantiff
- 11 a stone plantiff
- 12 Beech 12 in S 36 N 17 E links Ao 12 in S 86 N 16 E links
- 13 Beech 8 in S 25 N 16 E links Ao 10 in West 25 links
- 14 Beech 18 in N 47 N 9 E links Ao 10 in N 47 E 46 E links
- 15 Hickory 12 in N 86 E N 53 links Lignum 20 in N 89 E 57 E links
- 16 Stone plantiff
- 17 Beech 20 in N 19 E 28 links stone plantiff

Leviniah McFee }
 William Wiland }
 Chemen Swann }
 Surveyed February 28 & March 1st 1837
 John H. Whitcott Surveyor
 Miami County




- 1 South East Corner of Section a stone planted
- 2 W. oak 16 in N15° E 24 links Beech 20 in N35° W 25 links
- 3 Beech 20 in N4° E 18 links Ao 9 in S45° W 32 links
- 4 North East Corner of Section a stone planted
- 5 Beech 15 in S73° W 114 links Ao 20 in N12° W 66 links
- 6 North West Corner of Section a stone planted
- 7 Sugar 20 in S71° W 35 links beech 13 in S64° E 63 links
- 8 Bur Oak 8 in N60° E 40 links Hickory 16 in N31° E 96 links
- 9 South west Corner of Sec Beech 10 in N75° E 57 links Ao N75° W 91 links
- 10 Bur. Oak 12 in S75° W 7 links Buckeye 20 in S24° E 67 links
- 11 Beech 15 in N15° E 75 links Ao 16 in N9° W 122 links
- 12 Coffin nut 12 in N29° W 65 links B. oak 15 in S10° E 46 links
- 13 Buckeye 8 in N34° W 41 links Sugar 12 in S62° W 58 links
- 14 Beech 6 in N65° E 23 links Ao 18 in N6° E 33 links
- 15 Beech 12 in S71° W 11 links Ao 12 in S73° E 16 links
- 16 Beech 8 in S3° W 29 links Ao 14 in S57° E 47 links
- 17 a stone planted 3 Surveyor May 26 & 27th 1837

Agar Boltzill
John W. Apple

Chambers & Co
John H. Wolcott Surveyor
Miami County


Plat of Section Thirty Six Lower town of
 Range Ten M.B. Surveyed the 16 17 & 18 days of
 March 1887. Chairman Henry Stupin and William Carr,
 Sworn



near the west corner of Sec. Beech 13 in di S 22 N 13 links Sugar 14 in di N 56 E 9 links
 Sugar 22 in di N 83 E 36 links a Beech 18 in di N 23 E 46 links
 Beech 10 in di S 34 W 8 links a Sugar 12 in di N 13 E 29 links
 South west corner of Sec. a new Bearing Tree taken in the place of one
 original a Beech 20 in di N 7 W 39 links a Sugar 19 in di S 64 E 23 links
 original of corner Beech 12 in di N 49 E 11 links a 10 in di S 12 W 6 links
 South East corner of section a stone planted
 original of corner a stone sunk in the place of the corner tree
 near the East corner of Sec. Beech 13 in di N 49 W 16 links Sugar 20 in di S 49 E 39 links
 Sycamore 24 in di S 6 W 23 links a 24 in di S 27 W 21 links
 Sugar 13 in di N 84 W 50 links, Black walnut 13 in di N 87 E 46 links
 Sugar 10 in di N 16 E 10 links, Beech 10 in di S 79 E 57 links
 W. ash 50 in di N 82 E 26 links, Beech 13 in di S 44 E 47 links
 Blue ash 8 in di N 52 E 49 links W. ash 16 in di S 78 E 45 links
 ones was planted at all the above corners in the presence of
 Chairman


Henry Stupin Surveyor Miami County

Plot West half of Section 4 T1 R10 WRS
per Indef -



- 1 South West Corner of Section a stone
- 2 quarter corner a stone planted
- 3 a stone
- 4 North West Corner of Section a stone
- 5 a stone
- 6 a stone
- 7 a stone
- 8 a stone

Chas. men for them Isaac & John Smally Survey
Surveyed March 23rd 1837. John H. Wolcott Surveyor
Miami County




- 1 S.W. Corner of section
- 2 Red Oak 48 in S 47° E 10 links
- 3 N.W. Corner of section
- 4 Spruce on the North line
- 5 N.E. Corner of section
- 6 the original corner Hickory 14 in N 72° E 45 links Elder 14 in S 63° E 45 links
- 7 S.E. corner of section
- 8 quarter corner on the South line
- 9 Black Ash 12 in S 59° W 5 links Walnut 4 in N 49° E 5 links

Chas. Menz, Levi Miller & Cornelius Miller, Surveyors
 Surveyed Sept. 22nd 1837 by James Hanks Dept.


Approved _____ Surveyor Ill. Co.
 John H. Wolcott Surveyor
 Miami County

To establish the line and corner between sections
16 & 17 T² R¹⁰ W²



- 1 the north East corner of section 10 a stone
- 2 Buck 16 in S 34° E 192 links a stone S 47° W 70 links.
- 3 Buck 24 in N 37° W 90 links do 20. N 41° E 107 links.
- 4 the North west corner of section 22. a stone.
- 5 the South East corner of section 16 a stone.
- 6 Buck 20 in N 68° W 107 links do 20 in N 49° W 122 links
- 7 is a stone from which a large stone bears S 37° W 184 links do N 12° E 140 links
- 8 Elm 36 in N 34° W 114 links W. Ash 60 in the first survey 24 in
and N 53° W 48 links. Chasmon John T. Lin & James Buckley Survey
Survey June 12 & 13th 1839
John H. Wolcott Surveyor
Miami County

A plot of Section 12 T2 R9 WRS
for Staley & others




Corners and Witness Trees

- 1 South west Corner of Section a stone.
- 2 Center on the South line a stone in the Bay.
- 3 South East Corner of Section
- 4 W oak 48 in N 88: W 152 links, oak 18 in N 86 E 30 links.
- 5 the N. E. corner of Section a stone.
- 6 Center of the North line a stone set,
- 7 the N. W. Corner of Section a stone set.
- 8 Red oak 30 in N 37 E 37 links. W. Oak 18 in S 30 E 47 links.
- 9 Ironwood 5 in S 73 E 15 links Hickory 6 in S 19 W 30 links
- 10 Pl. Elm 10 in N 35 E 101 links W. oak 15 in N 7 W 90 links
- 11 W. oak 20 in N 77 W 34 links W ash 18 in N 77 E 38 links.
- 12 a stone set in Road

Chainmen Henry Repler & Charles Charles Swain
Surveyed September 5th 1838.

I do hereby certify the above survey correct,
John H. Wolcott Surveyor
Miami County

Section 13. T2. R9 WRS plot of



Markers and Witness Trees

- 1 the South East Corner of dec. a stone set,
 - 2 W. oak 10 in N 22, 45' E 17 links. do 10 in S 12 E 23 links.
 - 3 the South West Corner of section a stone.
 - 4 Original quarter Corner a stone set.
 - 5 N.W. of dec. near Trees W. oak 12 in N 29 E 8 links Black ash 24 in N 55 W 54.
 - 6 a stone set in the field by an old Witness Tree
 - 7 N E Corner of section a stone in the Road.
 - 8 the Center on the East line a stone set,
 - 9 the Center Corner a stone set in the bog a hole ³ of a ditch ₂ poles south.
- Chairmen James S. Steffera & William E. Steffera Assesors.


Surveyed March 15 & 16th 1839.

I do hereby certify the above Survey correct.

John H. Wolcott Surveyor

Miami County

Plot of Section 11 T2. R11. W3




orners and Witness Trees.

- 1 the south west corner of section 11
- 2 Beech 10 in N 1/2 W 47 1/2 links do 15 in N 38 1/2 67 links
- 3 Beech 15 in S 2 1/2 W 77 links do 10 in S 9 1/2 W 56 links
- 4 Beech 18 in S 23 W 59 links do 20 in S 26 E 49 links
- 5 South East corner of section 11
- 6 Original q/c corner stone det.
- 7 Beech 8 in S 23 W 32 links do 12 in S 52 E 39 1/2 links
- 8 Hickory 12 in S 65 E 20 1/2 links Beech 15 in S 15 W 20 links
- 9 the center of section 11 stone det.
- 10 Beech 8 in N 47 W 46 links do 5 in N 5 1/2 E 59 3/4 links
- 11 Black Walnut 30 in N 70 E 61 links R Elm 16 in N 35 E 82 links
- 12 the north west corner of section 11
- 13 Beech 15 in N 45 W 41 links do 12 in N 13 E 46 links
- 14 the north east corner of section 11

Witnesses James Brinkley & Samuel J White Surveyors November 1889

I do hereby certify the above survey correct.
 John H. Wolcott Surveyor
 Miami County

Plot of Section 2, T2, R10, W.R.



Corners and Witness Trees.


- 1 the South East Corner of Section a stone.
- 2 Black Ash 5 in S 31 E 22 links Sugar 7 in S 34 E 10 1/2 links.
- 3 Sugar 15 in S 50 E 67 links Hickory 10 in S 73 E 57 links
- 4 the North East Corner of Section a stone
- 5 Beech 10 in S 10 W 39 1/2 links Sugar 15 in S 27 E 38 1/2 links.
- 6 the north west Corner of section a stone;
- 7 quarter Corner on the west line.
- 8 the South west Corner of Section a stone
- 9 quarter Corner on the South Line a stone.
- 10 Cherry 10 inches dia. N 49 E 96 links
- 11 Beech 10 in S 47 1/2 E 15 links Mulberry 6 in S 75 W 25 links
- 12 Sugar 24 in N 57 E 24 links.
- 13 Beech 15 in S 48 W 46 links Sugar 15 in N 27 W 34 1/2 links

Chairmen Wilson & Mitchell & Jacob Jones. Sworn.

Surveyed May 28 & 29th 1839
do hereby certify the above survey correct.



John H. Wolcott Surveyor
Miami County

208 Survey of part of Fractional sec: 33 T. 1 R. 12 Mrs at the request of Jones Ward, to ascertain the contents.



Surveyed Dec 1st 1837 by

James Hanks deputy Surveyor for N.C.



Magnetite No. 1

Bearings and Bearing Trees


- 1 N.E. Corner of section a stone set
- 2 N.W. Corner of section a stone set
- 3 S.W. Corner of section a stone set.
- 4 S.E. Corner of section a stone set
- 5 W oak 36 in S 55° W 12 link Beech 16 in S 47° E 3 links.
- 6 Beech 15 in S 17° E 32 links Elm 12 in S 70° E 30 links.
- 7 Beech 15 in N 13° W 40 links do 15 in N 15° E 129 links.
- 8 ~~original corner~~ Beech 20 in S 52° E 53 links do 12 in S 31° W 63 links.
- 9 Sugar 10 in N 61° W 22 links do 20 in N 20° E 442 links.
- 10 Sugar 12 in N 61° E 34 links Beech 38 S 54° E 26 links.
- 11 Stone marked bearing, S 27° E 21 links do N 25° W 45 links.
- 12 Beech 15 in S 59° W 57 links. do 15 in N 45° W 76 links.
- 13 a stone set.
- 14 B Walnut 18 in N 45° W 65 links Sugar 14 in S 74° W 33 links.
- 15 Beech 15 in S 49° E 19 links do 18 in S 62° W 15 links.
- 16 Beech 36 in S 5° W 19 1/2 links do 6 in N 54° W 412 links.
- 17 Beech 20 in N 10° W 75 links do 13 in S 7° E 45 links.
- 18 W oak 40 in N 54° W 51 links Beech 12 in N 5° E 28 links

19.67
19.96
39.68
59.54

Chairman Joshua Bruce & Garland B Bruce Surveyors
Surveyed ~~the~~ Dec. 31 - 1837


I do certify the above survey is correct

John H. Woodlett Surveyor
Miami County



- 1 Original quarter corner a stone planted
 - 2 the South East corner of section a stone planted
 - 3 Elm 10 in N 77° W 7 1/2 links Beech 20 S 26° E 15 1/2 links
 - 4 a stone planted
 - 5 the N E corner of section a stone
 - 6 Elm 18 in N 42° W 18 links do 24 in S 62° W 26 links
 - 7 N. W corner of section a stone planted
 - 8 Original quarter corner a stone planted
 - 9 S. W corner of section a stone planted
 - 10 Elm 24 in N 62° E 16 links Water Beech 5 in S 66° W 10 links
 - 11 Beech 7 in N 10° W 25 links do 14 in S 81° E 50 links
 - 12 Beech 16 in N 74° E 21 links Ironwood 5 in South 24 links
 - 13 Beech 10 in N 82° E 14 links do 8 in N 45° E 41 links
 - 14 Sugar 16 in S 87° E 25 links Beech 18 in N 80° W 36 links
 - 15 Beech 18 in S 35° E 10 links do 18 in N 70° W 36 links
 - 16 Beech 8 in S 82° W 28 links Buckeye 8 in S 18° W 24 links
- Chainman Henry Bright & Reso Brooks sworn
 Surveyed January 25 & 26 - 1838 John H. Wolcott Survey
 Miami County

A Plot of a small Tract of land out of the S.W. corner of R.M. 9th of Section 17 T² N⁹ W² Ezra Morris



Bearing and Distances of the lines from 1 to 2 North 6.15 Chains

- " 2 to 3 East 9.30 "
- " 3 to 4 South 11.44 "
- " 4 to 5 West 1.81 "
- " 5 to 1 N 55° W 9.15 "

Markers and Bearings True

- 1 a Stone Set
- 2 a Stone Set
- 3 a Stone Witness Sugar 12 in S 58° E 31 links
W oak 15 in S 10° W 99 links
- 4 a Stone Witness Black Walnut 12 in
S 65° W 142 links
- 5 a Stone Witness Black Walnut 12 in
N 42° E 77 links

Witnessmen David B. Morris &

Surveyed May 26th 1835.

I do Certify the above Survey correct

Approved


Ralph Kemp

John H. Noble Surveyor
Miami County

Deft. Surveyor Miami County

36
1835
MAY 26

Section 30 Township 6 R6 East



8011
5687
23.24
21.87
36
56.87

A plot of the East part of fractional Section 25 -
Town 4 Range 6 East.



Bearings and Distances of the lines
from 1 to 2 $S 85^{\circ} 30' W$ 15.67 Chains

"	2 to 3	$N 23^{\circ} W$	10.00	"
"	3 to 4	$N 85^{\circ} 30' E$	7.00	"
"	4 to 5	$N 41^{\circ} E$	7.50	"
"	5 to 6	$N 1^{\circ} E$	38.25	"
"	6 to 7	$N 20^{\circ} 30' E$	17.37	"
"	7 to 8	$N 7^{\circ} 30' W$	6.04	"
"	8 to 9	$N 41^{\circ} 30' W$	5.00	"
"	9 to 10	$N 85^{\circ} 30' E$	44.40	"

" 10 to 1 the meanders of the Miami River


Chairmen Wm. Dehman & Wm. Royer Surveyors

Surveyed May 25th 1835 by

Approved
John H. Wolcott Surveyor
Miami County

Ralph Kemp Deputy
Surveyor Miami County

Plat of Section 9, T8, R5 East, for Lee, Co. Va. 215



Magazine for the

- 1 Hickory 24 in N 76 E 17 do 18 in N 5 W 39 links -
 - 2 a Gum 12 in S 26 E 25 links Black Ash 15 in S 5 S, W 22 links
 - 3 Beech 10 in S 33, W 29 links Hickory 22 in S 84 E 44 links -
 - 4 Sugar 22 in N 10 E 42 links do 20 in N 50 E 47 links -
- Stones was planted at all the above Corners marked by T8, R5, &


Copy of the Original Notes of the line between Sec 8 & 9 T8 R5 East

Chs	links	Between Sec 8 & 9
7	30	N oak 26 inches diameter none seen
22	68	a Beech 12 in dia not found
30	00	a small Branch 10 links wide Runs S. W
32	00	a Sugar 16 in dia standing
40	28	a Sugar 17 in diameter do
46	00	a small Branch Runs S, W
47	50	Sugar Tree, 12 inches standing
51	45	a Hickory 20 in dia not found -
63	87	a Beech 10 in dia standing
81	00	The length of the line to the South Corner of Sec 8 & 9

New Bearing Trees Taken at the S.W. N.W. & N.E Corners of the Above Section, I found the above line to Bear S 4° 23 E 81.00 Chs. and the trees that was found stood nearly on a direct line Surveyed June 13th 1838.

Witness Benjamin Layton & Robert, Jr. Cole Surveyors
 John H. Moore the Surveyor
 Miami County

Map of the west half of Sec. 2 T2 R12 W12.
for Ross & Drake



Boundaries and Witness Trees -


- 1 the original quarter Sec Corner a stone set.
- 2 the S.W. Corner of Section a stone set.
- 3 Beech 8 in N 43° W 48 links Hickory 15 in S 46° W 47 links & Stone
- 4 S.W. Corner of Section a large Oak tree.
- 5 the center of the north line of Section a stone set.
- 6 R. Elm 15 in N 69° E 24 links Beech 10 in S 84° E 59 links a stone

Chairmen John Duer & George Huber, Sworn

Surveyed August 27th 1835.

I certify the above Survey to be correct.

John H. Molester Surveyor
Miami County



Boundaries and Markers

- 1 S.E. Corner of Section a stone sett,
- 2 the Original quarter section corner a stone.
- 3 S.W. Corner of Section a stone.
- 4 Bear Oak 24 in N 61° E 57 links. Do 24 in S 52° E 21 links a stone.
- 5 N.W. Corner of Section a stone.
- 6 Beech 15 in S 57° W 68 links. Do 8 in S 72° E 49 1/2 links a stone.
- 7 Beech 18 in S 30° E 30 links. Do 15 in S 43° W 61 links a stone.
- 8 N.E. Corner of Section a large Oak tree.
- 9 Beech 20 in S 46° W 69 links. Do 18 in S 52° W 69 1/2 links a stone.
- 10 Beech 5 in N 33° E 9 links Black Oak 12 in S 65° W 27 1/2 links a stone.
- 11 the Center of Section a stone in a small pond.


Witness in Enock Drake & John Brauer Survey

Surveyed August 28 & 29th 1858.

I certify the above survey to be correct.

John H. Wolcott Surveyor
Miami County

Plot of Section 18, T2, R11 WMS



Leaves and Notings True

- 1 the South East Corner of Section a stone, set.
- 2 Beech 20 in S 60° W 82 links Lyra 36 in N 83° E 52 links
- 3 the North East Corner of Section.
- 4 the Center Corner on the North line a stone.
- 5 the North West Corner of Section a stone.
- 6 original quarter section Corner a stone.
- 7 the South West Corner of Section a Stake in a pond
- 8 original quarter Corner. Beech 40 inches Corner tree,
- 9 Beech 10 in N 39° E 11 links Do 15 in S 36° E 10 links -

Behaimon Nathaniel McC Devitt & Peter Hartman Survey


Surveyed 1st & 2^d days of July 1838

I do hereby certify the above survey correct

John H. Wolcott Surveyor

Miami County

Plat of the South west qr of Sec 8 T2 R10 W6



orners and Witnesses Trees


- 1 the South West Corner of Section a stone
- 2 Buckeye 15 in S 34 E 5 links Blue ash 15 in N 45 W 27 1/2 links
- 3 Buckeye 15 in S 44 W 19 1/2 links Sugar 15 in N 53 E 4 1/2 links
- 4 Beech 30 in N 51 E 43 links do 15 in S 41 E 76 1/2 links.

Chainmen William Ramsey & Thomas Ramsey, sworn Surveyors 29. & 30th of July 1839.

I do hereby Certify the above survey correct,

John H. Wolcott Surveyor
Miami County

Plot of tract of land situate in fractional Section 33 T1 R12 WRS. for Enos Manning) Chainmen: Mordecai McDermott, Leonard Lawrence




- from 1 to 2 S 32 E 4.18
- from 2 to 3 N 56 E 1.48
- from 3 to 4 N 29 W 1.95
- from 4 to 5 S 62 W 3.20
- from 5 to 6 N 36 W 2.86
- from 6 to 7 N 46 W 2.14
- from 7 to 8 N 53 W 1.82
- from 8 to 9 S 7 W 1.25
- from 9 to 10 S 5 W 3.73
- from 10 to 11 S 28 W 2.95
- from 11 to 12 N 75 E 7.00
- from 12 to 13 S 32 E 3.49
- from 13 to 14 N 54 E 0.97

Survey June 21st 1839

I do hereby Certify the above tract from 14 to 15 N 32 W 1.50
 Appeared } Ralph Kemp Det Surveyor
 J. H. Wolcott Sur. Miami County
 mi County

A part fractional Section 31 T1 R12 WRS for Charles Ross.




- Bearings and Distances from 1 to 2 &c
- from 1 to 2 N 59, 15 E 7.01
- from 2 to 3 S 16, 45 E 4.07
- from 3 to 4 S 55 W 4.91
- from 4 to 5 S 5 E 0.37
- from 5 to 6 S 55 W 1.16
- from 6 to 1 N 25 W 1.42

Stumps are set at all the corners except No 1 & 6. one is a Lairs Stump and No 6 is a Spruce Stump.

Survey June 22nd 1839 Chainmen: Alfred Mills, Sworn
 I do Certify the above survey made by } Matthias More }
 Appeared } Ralph Kemp Det Surveyor }
 J. H. Wolcott Surveyor } Miami County }

Plot of Section 6 T2 R11 W1



Accorns and Witness Trees


- 1 South west Corner of Section a Stone
- 2 Original quarter Section Corner a Stone dit
- 3 South East Corner of Section a Stone
- 4 Eden Run N 32° W 64 links N. 58° E 20 in N 61° W 322 links
- 5 the North East Corner of Section a Stone
- 6 the Center of the north Line of Section a Stone
- 7 the North west Corner of Section a Stone
- 8 Original quarter Section Corner a Stone dit
- 9 Sugar 14 in N 72° E 39 links Buck 16 837° W 58 links a Stone

Chairman Sylvanus Allen & Samuel J White Survey
 Surveyed Sept 26 & 27th 1839.

I do hereby Certify the above Survey Correct,
 John H. Wolcott Surveyor
 Miami County

Plot of the north half of Sec 25 T2 R12 W.R.


LND 1-233



Corners and Witness Trees


1. Bur Oak 12 in S85°W 109 links cherry 8 in S60°W 102 links
 2. a stone set
 3. the North East corner of section a stone.
 4. Beech 15 in S18°E 52 links Do 15 in S79°E 54 links.
 5. Hickory 15 in N26°E 33 links Bur Oak 20 in S42°E 41 links.
 6. Hickory stump 15 in S62°E 20 links Do 15 in N18°E 18 links
 7. Hickory 30 in S35°W 33 3/4 links.
 8. Beech 16 in S12°W 36 links. Do 18 in S42°E 44 links
 9. North west corner of section a stone.
 10. quarter sec corner Beech 24 in S47°E 25 links Do 5 in S14°W 7 links.
- Witnessmen Thomas Drake & Jacob Rizer sworn
 I hereby certify the above survey correct.
 Surveyed April 20th 21st 1840. John H. Wolcott Surveyor
 Miami County

Corners on the South lines of Sections 2 & 8 T1 R10 W.R.



1. the S.E. corner of Sec 2. Witness Elm 30 in West. 9 links
 2. the center of Sec 2. Bur Oak 36 in N1°E 45 links Buckeye 5 S75°W 34.
 3. the South West corner of Sec 2 a stone set.
 4. Elm 30 in S60°W 25 links. Blue Ash 5 in N75°W 59 links and the South West corner of fractional Sec 8.
- NB the South East corner of section 2 T1 R10 W.R. was established by the Testimony of Jimmie Heat James Dyer & Jacob French. Surveyed April 1840. John H. Wolcott Surveyor
 Miami County

Plot of Section 13 T5 N6 East.



Corners and Witness Trees


- 1 the South East Corner of section astone,
- 2 the center on the south line astone,
- 3 Beech 30 in N 5° E 19 links Do 36 in S 80° W 43 links,
- 4 South West Corner of section
- 5 Beech 24 in N 7° W 55 links Do 14 in S 9° W 79 links
- 6 the North west corner of section astone,
- 7 the center on the north line of section
- 8 the North East Corner of section astone
- 9 Beech 9 in S 36° W 10 links Do 20 in S 63° E 21 1/2 links.
- 10 Beech 10 in N 19° E 10 1/2 links Do 12 in S 47° W 35 links.
- 11 Beech 24 in N 32° E 44 1/2 links Do 20 in S 34° E 24 1/2 links.
- 12 Elm 18 in S 67° E 6 links Lynn 15 in N 7° W 28 links.
- 13 Original quarter Corner astone.

Chairmen J. J. Robbins & Abraham Biddle Swank
 Surveyed March 30 & 31st 1840

I do hereby Certify above Survey correct

Saml H. Wolcott Surveyor
 Miami County

Plot of 60 60/100 acres out of the South East corner of section 1 T8 R12 W13 for J. Rizer




from 1 to 2 N45° E 20.20
 from 2 to 3 N89.75° W 30.00
 from 3 to 4 S45° W 20.20
 from 4 to 1 S89.75° E 30.00
 Richard Gray } Chairman
 David Denman } Sworn

Surveyed March 4th 1840.

I do hereby certify the above Survey correct
 Approved } Ralph Kemp Deput
 John H. Wolcott Surveyor } Surveyor Miami County
 Miami County }


Plot of Section 21, Town 1, Range 11, W13



Chairman John B. Julian & Ralph Peterson Sworn
 Surveyed April 17th 1840.

I do certify the above Survey correct
 Approved } Ralph Kemp Deput
 John H. Wolcott Surveyor } Surveyor Miami County
 Miami County }

Plot of the N.W. quarter of Sec 29 T5 R6 East.




Names and Witnesses True

- 1 the N.W. Corner of Section one near Witness Tree Taken. a Beech 16 in S 10.2 E 31 links, Sugar 8 in N 65 E 33 links ^{on the original N.W. 1/4}
- 2 Sugar 8 in N 79 W 5 links Hickory 10 in S 61 E 27 links
- 3 Hickory 16 in N 3 E 8 links do 15 in S 55 W 23 links.
- 4 the original quarter on the west line as true.
- 5 original quarter corner on the south line near the Taken Beech 16 in S 62 W 36 links Lym 10 in N 82 E 16 W
- 5 Center of the East line W. Walnut 15 in N 65 E 25, H. Sugar 15 in S 21 W 20.

Chairmen G.W. Dye & John Hensley, sworn
 Sheriff October 20th 1840.
 I do hereby certify the above survey correct
 John H. Wolcott Surveyor
 Miami County

Plat of N.E. quarter of Sec. 22, T2, R11 N.B.



Corners and Witness Trees


- 1 original quarter section corner near trees take Beech 16 in S 34 W 47 E links Do 2 in N 30 E 38 links
- 2 the N. E. Corner of section a stone set
- 3 Beech 20 in S 36 W 55 links Do 12 in N 19 E 55 links
- 4 a stone set.

Behaimmen Peter Shanks & John Cornheart, Sworn Surveyors November 11th 1840.

I do hereby certify the above survey correct

John H. Wolcott Surveyor
Miami County

Plot of part of the South half of Sec. 27 T2 R10 W14




- from 1 to 2 S 89.15 E 15.01
- from 2 to 3 North 12.15
- from 3 to 4 East 7.94
- from 4 to 5 N 45 E 2.00
- from 5 to 6 S 55 E 6.00
- from 6 to 7 S 55 E 4.75
- from 7 to 8 S 34 W 8.11

Chairmen Henry Carter & George W. Scott, Surveyors
 I do hereby certify the above Survey correct.
 Approved (Survey Block 26. 1841) Ralph Kemp Debuy
 John H. Wolcott Surveyor Miami County
 Miami County

Plot of a part of the north East quarter of Section 26. T2 R10 W14

- Bearings & Distances from 1 to 2
- from 1 to 2 S 89.75 E 25.37
 - from 2 to 3 S 45 W 10.25
 - from 3 to 4 N 88.7 E 25.87
 - from 4 to 5 N 45 E 9.50
 - from 5 to 1 N 45 E 0.71




Chairmen Michael G. Rowser & Archibald Bryant, Surveyors
 surveyed March 24th 1841.

I do hereby certify the above Survey correct.
 Approved Ralph Kemp Debuy
 John H. Wolcott Surveyor Miami County
 Miami County

Plot of the South East quarter of Section 2 T11 R11 W11

239



Bearings & Distances from 5 to 9
 from 5 to 6 N 66° E 12.16 -
 from 6 to 7 N 30° E 14.63 -
 from 7 to 8 N 66° E 3.16
 from 8 to 9 N 30° E 18.61

orners and Witness Trees.

- 1 the South East Corner of the section above.
- 2 above dit.

- 3 Sugar 10 in N 16° E 42 links, Beech 16 in N 24° E 29 links
 - 4 Buckeye 10 in N 16° W 16 links, Beech 15 in N 51° E 53 links
- Stones are set at all the other corners.


Chairmen Robert Lawrence & Michael Craft, sworn.
 Surveyed March 25th 1841.

I do certify the above survey correct.

Approved
 John H. Wolcott Surveyor
 Miami County

Ralph Kemp Deputy
 Surveyor Miami County

for John Wiley



A is a Bush 9 inches N 72° W 34 links
 In 40 inches N 11° E 22 links
 Jacob Yoke & Daniel Yoke
 Chairmen sworn } stone set at all
 the corners.

Jacob Yoke & Chairmen
 Daniel Yoke & sworn


Surveyed June 3 & 4 1841.

I do hereby certify the above Survey correct,

John H. Wolcott Surveyor
 Miami County

Plat of Tractons Section 31 T1 R12 W2
for William J. Wiley

291



The Bearings and Distances from 2 to 11.

from 2 to 3	N 10° 30' E	6.06	Chains -
from 3 to 4	S 14° E	4.00	"
from 4 to 5	S 36° E	2.58	"
from 5 to 6	S 66° E	1.73	"
from 6 to 7	S 43° 30' E	11.57	"
from 7 to 8	S 16° 41' E	5.86	"
from 8 to 9	S 30° 30' E	4.21	"
from 9 to 10	S 59° E	15.97	"
from 10 to 11	S 10° E	6.07	to a stone the South West Corner of the Porter lot.


Witnesses Jacob Yoke & Samuel Yoke sworn
Surveyed June 4th 1841.

I do hereby certify the above Survey correct.

John H. Wolcott Surveyor
Miami County

Sec 25 S. 6. R. 5 East

- A - S.E. Corner of Sec
- B - Buck 15 S 39 1/2 E - 23.
Sugar 10 N 4 W .. 18
- C - Stone
- D - original 1/4 Sec. Corner a stone
- E - a Stone
- F - No witness taken
- G - a Stone
- H - Sweet Oak 15 N 79 W 91 1/2 links
W. Ash 10 S 44 W 54
- I - Elm 20 S 51 1/2 E 15
Sugar 14 N 55 W 87



May. 1844


Joseph Yants
Michael Rodnick } ex mun. Sworn

James Hanks Surveyor for Miami County

250

Sec^t 28, T. 1. R. 11. N. 13.

Meridian line



At S.E. corner of the section. Dist in 1/4 pole chains.
 The lines B. C. D. E. Between the lands of John
 Depees and Joseph James

Witness trees

At B	Beech	20	inches	Diameter	N 21° W	36	links
	Hickory	18			N 80° E	45	
At C	Beech	10			N 33° W	9	
	Walnut	7			S 23° E	11	
At D	Hickory	24		Stump	S 37° E	14	
	Elm	20			S 77° W	47	
At E	White Oak	24			N 26° W	24	
Double	do do	30			S 26° E	28	

Variation 15 minutes of a degree

William Eskew } Chairman by mutual consent of parties
 Joseph James }

Surveyed Nov. 21st 1854


Wm. Griffin Surveyor of
 Miami County

252

Plot of Sect. 35. T. 8. R. 5. East.

old witness gone
magnetic North
Stone set witness a Stone 147 1/2 M 9

Staking from
63 M 6
24 x 35 1/2 29 26



Black Oak 26 29 2 M 58
do do 16 M 43

Stone ... County Road
Red Oak 30 8 75

Beck 16 M 49 8 29
Oak 10 1/2 17 1/2 16

Surveyed Novm 26, 27, 28, 29, 1844


Andrew Vaneman } chainmen } sworn
Wm Morris } by consent }
Wm Giffin & S
Miami County

Note the Division line from E to W
bears S 83 1/2 W There were no witnesses taken at the corner on the
middle line E.W. it being in the county road

Plat of the $N\frac{1}{2}$ Sect. 2, T. 7, R. 5, E

5 2 1/2 Acre 1 mile
176 M 440 6 7 40 M

March 14, 1845
15 16 15
6 5 16 8 15



Witness at A

Sugar 12 N 52 1/2 E 24
Beck 12 S 57 1/2 W 17

Jan 36 1/2 192 M 70
dwest 14, 14 3/4 9 8 1/4

Jan 11, 1845
146 M 34
12 1/2 W 34
14 1/2 N 34
14 1/2 S 34
14 1/2 E 34

Original Sec. 2, T. 7, R. 5, E
Settled by James, died
Settled by James, died
and all lines near the corner

Surveyed January 25th & 26th 1845

Chamman { John Lipp }
1st day { S. B. Giffin }
2nd day { S. B. Giffin }
{ Robert M. Reynolds }
By consent of Parties

Wm Giffin C.S. of M. C.


3257 ch

Plat. of Part of the South east q^r of Sect
26 T2 R9 MK¹
Surveyed Jan 29th 1845


Simon Goble } sworn
Champion } M. Ramey } affirmed

N.W. corner of
9th sec

Wm. Giffin Surveyor of
Miami County



Plot of Section 10 T2 R10 WRS



Corners and Witness Trees.

- 1 The South East corner of Section a stone set,
- 2 Original quarter corner Buck 18 in S 62° W 87 links Sugar 20 in S 81° E 103
- 3 The North East corner a stone set at the Cross Roads.
- 4 Buck 16 in S 42° E 165 links Bar, Oak 30 in S 24° W 125 links
- 5 The N.W. corner of Sec Buck 18 in S 34° E 192 links a stone S 42° W 70 links
- 6 Buck 20 in N 68° W 107 links Oak 21 in N 49° W 122 links.
- 7 The South West corner of Section a stone,
- 8 Original q/c corner, Buck 20 in N 22° W 149 links Sugar 22 in N 23° E 179
- 9 Buck 12 in S 30° E 26 links Oak 10 in S 18° W 33 links


Schearmen William Armstrong & Tyler Shepard Surveyors
 Surveyed Sept. 6th to 1841.

L. De Husky Certify the above survey correct.
 John H. Wolcott Surveyor
 Miami County

Platt of the south 1/2 of Sec 13 T. 1. R. 11 MS

(243)

Rollins tract begins at the S.W. corner of the sec at D and runs
 S 55° W 22.25 to preemption corner
 S 12° E 17.51 to do do
 S 88 3/4° E 30.72 to centre of the Piqua Road
 S 41 1/4° E 5.00 along do do
 S 39° 10' W 46.00 to the sec line
 N 89° 5' W 5.00 to the beginning containing 83 46/100 acres
 A. B. C. D. E. F. G. H. & K are Preemption corners. —



Brandriff's tract begins at E on the plat and runs
 S 89° 5' E 34.50 to preemption corner
 N 3 3/4° E 10.03 to do
 S 89° 10' E 11.97 to stone at I in the centre of the Road
 N 33 3/4° W 31.61 to Rollins corner at L
 S 39° 10' W 46.00 to the beginning containing 80 90/100 acres

Coleman's tract begins at A. The N.E. corner of the 1/2 sec
 and runs S 3 3/4° W 29.37 to preemption corner
 N 89° 10' W 28.00 to Brandriff's corner at I in centre of Road
 N 33 3/4° W 31.61 to do do " L do do
 N 41 1/4° W 5.00 to Rollins do " M do do
 S 88 3/4° E 49.34 to the beginning containing 112 91/100

Surveyed Dec 28. & 29th 1842

John Lambert
 Jas. Lullis } chosen

James Flanks Surveyor
 for Miami County


Sec 13. T. 8. R. 5 East

244

Surveyed January 23rd
1843

There were no witness
taken at any of the corners

James Rye Ch. man
Lewis Boulden
Sawyer




James Hawks Surveyor for Miami County

Sec 26 T. 9 R. 1 East

A. Original Purchase

B. Do do




Surveyed October 4th 1843

John Grubbs

Landon Skigg, Chimney, sworn

James Hawkins Surveyor for Missouri Co.

Sec. 10 T. 8 R. 5 East



A. south East corner of the Sec
 B. N.W. corner of Brastons
 C. A Stone
 D. A Stone
 E. Elm 18 $S 15^{\circ} W$ 3 links
 F. Ash 6 $N 10^{\circ} W$
 G. Hickory 22 $N 7^{\circ} W$ 35
 H. Birch 8 $N 6^{\circ} W$ 15
 Do. 6 $S 14^{\circ} W$ 20


Campbell & Scudder
 A. Hunt
 W. Terrell
 C. Ketham

Surveyed Dec 9. 1843

Enoch Bennett
 — Capel, chosen by consent

James Hanks Surveyor for Miami Co.

- A - is and old corner fixed by a former Survey
- B - is the N.W. corner of the Sec.
- C - Buck 18 inches in diam; N 23 1/4 W 21 1/2 ch.
- D - Hickory 11 " " " N 30 1/4 W 21 " "
- E - is The original 1/4 Sec Corner on south 13 1/2
- F - is the S.W. corner of the Sec.
- G - is the original 1/4 Sec corner on the West 13 1/2



Surveyed February 16th 1844

Lagan Rogan,
— Willson Chasman, Surveyor

James H. Harris Surveyor for Miami County